

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/7

R600a (ISOBUTANE)

Revision 1

Revision date 2014-10-16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	R600a (ISOBUTANE)
CAS No.	75-28-5
EC No.	200-857-2
Index No.	601-004-00-0

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	<p>[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [SU19] Building and construction work; [PC16] Heat transfer fluids; [PROC1] Use in closed process, no likelihood of exposure; [ERC7] Industrial use of substances in closed systems; [AC1] Vehicles;</p> <p>-----</p> <p>[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [SU19] Building and construction work; [PC16] Heat transfer fluids; [PROC1] Use in closed process, no likelihood of exposure; [ERC7] Industrial use of substances in closed systems; [AC2] Machinery, mechanical appliances, electrical/electronic articles;</p> <p>-----</p> <p>[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [SU19] Building and construction work; [PC16] Heat transfer fluids; [PROC1] Use in closed process, no likelihood of exposure; [ERC7] Industrial use of substances in closed systems; [AC3] Electrical batteries and accumulators;</p>
-------------	---

1.3. Details of the supplier of the safety data sheet

Company	A-Gas UK Limited
Address	Banyard Road Portbury West Bristol BS20 7XH United Kingdom
Telephone	[+44] (0) 1275 376600
Fax	[+44] (0) 1275 376601
Email address of the competent person	info.uk@agas.com

1.4. Emergency telephone number

Emergency telephone number	[+44] (0) 1275 376600 24 hr
----------------------------	--------------------------------

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture


2.1.1. Classification - 67/548/EEC	F+; R12 Symbols: F+: Extremely flammable.
Main hazards	Extremely flammable.
2.1.2. Classification - EC 1272/2008	Flam. Gas 1: H220;

R600a (ISOBUTANE)

Revision 1

Revision date 2014-10-16

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Flam. Gas 1: H220 - Extremely flammable gas.
Precautionary Statement: Prevention	P210 - Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
Precautionary Statement: Response	P377 - Leaking gas fire: Do not extinguish, unless leak can be stopped safely. P381 - Eliminate all ignition sources if safe to do so.
Precautionary Statement: Storage	P403 - Store in a well-ventilated place.

2.3. Other hazards

Other hazards	No data available.
---------------	--------------------

SECTION 3: Composition/information on ingredients

3.1. Substances

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Isobutane	601-004-00-0	75-28-5	200-857-2			F+; R12

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Isobutane	601-004-00-0	75-28-5	200-857-2			Flam. Gas 1: H220;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. If breathing is difficult give oxygen.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Allow to evaporate. Remove contaminated clothing. Rinse immediately with plenty of water for 15 minutes.
Ingestion	Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.
Ingestion	Not applicable.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Seek medical attention if irritation or symptoms persist.
Eye contact	Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Seek medical attention if irritation or symptoms persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

	Use extinguishing media appropriate to the surrounding fire conditions.
--	---

5.2. Special hazards arising from the substance or mixture

R600a (ISOBUTANE)

Revision 1

Revision date 2014-10-16

5.2. Special hazards arising from the substance or mixture

Heating produces hazardous fumes.

5.3. Advice for firefighters

Wear self contained breathing apparatus and protective clothing.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation of the working area. Evacuate personnel to a safe area. Prevent further spillage if safe. Keep public away from danger area. Keep upwind. Eliminate all sources of ignition.

6.2. Environmental precautions

Avoid release to the environment. Refer to special instructions/Safety data sheets.

6.3. Methods and material for containment and cleaning up

Do not allow product to enter drains.

6.4. Reference to other sections

See section 3, 8, 13 for further information.

SECTION 7: Handling and storage**7.1. Precautions for safe handling**

Ensure adequate ventilation of the working area. Keep away from sources of ignition - No smoking. Keep away from heat. Heating may cause an explosion.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Store in original container. Keep away from incompatible materials.

7.3. Specific end use(s)

See section 1.2. Relevant identified uses of the substance or mixture and uses advised against for further information.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters**

See section 8.2 for further information.

8.2. Exposure controls**8.2.1. Appropriate engineering controls**

Ensure adequate ventilation of the working area.

8.2.2. Individual protection measuresWear protective clothing.
Wash all contaminated clothing before reuse.**Eye / face protection**Approved safety goggles.
In case of splashing, wear: Face shield.**Skin protection - Handprotection**

Wear suitable gloves.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Occupational exposure controlsAdopt best Manual Handling considerations when handling, carrying and dispensing.
Keep away from food, drink and animal feedingstuffs.**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

R600a (ISOBUTANE)

Revision 1

Revision date 2014-10-16

9.1. Information on basic physical and chemical properties

Appearance	Aerosol
Colour	Colourless
Odour	Odourless
Melting point	-159
Initial boiling point	-12
Flash point	-83
Flammability limits	LEL: 1.8% UEL: 8.4%
Autoignition temperature	400°C
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Fat Solubility	No data available
Partition coefficient	No data available
Evaporation rate	No data available
Freezing Point	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
pH	No data available
Solubility	No data available

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data is available on this product.

10.2. Chemical stability

Stable under normal conditions. Vapours are heavier than air.

10.3. Possibility of hazardous reactions

No data is available on this product.

10.4. Conditions to avoid

Avoid sparks, flames, heat and sources of ignition. Direct sunlight.

10.5. Incompatible materials

Strong oxidising agents.

10.6. Hazardous decomposition products

No data is available on this product.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

No data available.

11.1.4. Toxicological Information

Isobutane	Inhalation Rat LC50/15min: 57 pph Inhalation Mouse LC50/2H h: 680000 mg/m3	Inhalation Rat LC50/4H h: 658000 mg/m3
------------------	---	---


SECTION 12: Ecological information

12.1. Toxicity

R600a (ISOBUTANE)

Revision 1

Revision date 2014-10-16

12.1. Toxicity	
	No data available
12.2. Persistence and degradability	
	No data is available on this product.
12.3. Bioaccumulative potential	
	No data is available on this product.
12.4. Mobility in soil	
	No data is available on this product.
12.5. Results of PBT and vPvB assessment	
	No data is available on this product.
12.6. Other adverse effects	
	No data is available on this product.
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
	Dispose of in compliance with all local and national regulations.
SECTION 14: Transport information	
Hazard pictograms	
	
14.1. UN number	
	UN1969
14.2. UN proper shipping name	
	ISOBUTANE
14.3. Transport hazard class(es)	
ADR/RID	2
Subsidiary risk	-
IMDG	2.1
Subsidiary risk	-
IATA	2.1
Subsidiary risk	-
14.4. Packing group	
Packing group	-
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
14.6. Special precautions for user	
	No data available.
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	
	Not applicable.
ADR/RID	
Hazard ID	23
Tunnel Category	(B/D)

R600a (ISOBUTANE)

Revision 1

Revision date 2014-10-16

IMDG	
EmS Code	F-D S-U
IATA	
Packing Instruction (Cargo)	200
Maximum quantity	150 kg
Packing Instruction (Passenger)	FORBIDDEN
Maximum quantity	FORBIDDEN

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulations	<p>COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p>
--------------------	--

15.2. Chemical safety assessment

	No data is available on this product.
--	---------------------------------------

SECTION 16: Other information**Other information**

Revision	<p>This document differs from the previous version in the following areas:.</p> <ul style="list-style-type: none"> 1 - Description. 1 - CAS No. 1 - EC No. 1 - Product Use. 1 - Index No. 7 - 7.3. Specific end use(s). 9 - 9.1. Information on basic physical and chemical properties (Appearance). 9 - 9.1. Information on basic physical and chemical properties (Colour). 9 - 9.1. Information on basic physical and chemical properties (Odour). 9 - 9.1. Information on basic physical and chemical properties (PH). 9 - 9.1. Information on basic physical and chemical properties (Explosive properties). 9 - 9.1. Information on basic physical and chemical properties (Oxidising properties). 9 - 9.1. Information on basic physical and chemical properties (Vapour pressure). 9 - 9.1. Information on basic physical and chemical properties (Relative density). 9 - 9.1. Information on basic physical and chemical properties (Viscosity). 9 - 9.1. Information on basic physical and chemical properties (Vapour density). 9 - 9.1. Information on basic physical and chemical properties (Evaporation rate). 9 - 9.1. Information on basic physical and chemical properties (Freezing Point). 9 - 9.1. Information on basic physical and chemical properties (Fat Solubility). 9 - 9.1. Information on basic physical and chemical properties (Solubility). 9 - 9.2. Other information (Conductivity). 9 - 9.2. Other information (Partition coefficient). 9 - 9.2. Other information (Gas group). 9 - 9.2. Other information (Surface tension). 10 - 10.4. Conditions to avoid. 10 - 10.5. Incompatible materials.
-----------------	--

R600a (ISOBUTANE)

Revision 1

Revision date 2014-10-16

Other information

Text of risk phrases in Section 3	12 - 12.1. Toxicity. 14 - IMDG.
	R12 - Extremely flammable.
	Flam. Gas 1: H220 - Extremely flammable gas.

Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--